

# **Natco Pre-Buff Cleaner**

Safety Data Sheet

Manufacturers of Premium Tire Re	according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020 Version: 2.0
SECTION 1: Identification	
1.1. Product identifier	
Product form Product name Product code Formula Chemical Family	: Mixture : Natco Pre-Buff Cleaner : SB20 (20 oz. Aerosol can) : Trichloroethylene
1.2. Recommended use and restrictions o	on use
Recommended use	: Used in the preparation of Repairing Tires
1.3. Supplier	
Natco Manfacturing Ltd. 1456 Church Avenue Winnipeg, Manitoba R2X 1G4 Ph: (204) 633-5432 Fax: (204) 694-3320	
1.4. Emergency telephone number	
Emergency number	: Infotrac: (352) 323-3500 (International), (800) 535-5053 (North America)
SECTION 2: Hazard identification	
2.1. Classification of the substance or mix	kture
Classification (GHS CA)	: This material is considered hazardous by Health Canada Hazardous Product regulations (WHMIS 2015), and by the OSHA Hazard Comminication Standard 2012 (29 CFR 1910.1200
Skin Corrosion / Irritant Serious Eye Damage / Eye Irritant Skin Sensitization Acute Toxicity - Inhalation (gases) Germ Cell Mutagenicity Carcinogenicity STOT, Single Exposure Target Organs - Central Nervous System (CNS) STOT, Repeated Exposure Target Organs - Kidney, Liver, Heart, Spleen, and Blood	<ul> <li>Category 2</li> <li>Category 2</li> <li>Category 1</li> <li>Category 4</li> <li>Category 2</li> <li>Category 1A</li> </ul> : Category 3 : Category 2
.2. GHS Label elements, including precau	itionary statements
HS-CA labelling	
Signal Word	: Danger!
Pictograms	(1)
GHS04 Compressed Gas	GHS07 Harmful GHS08 Health Hazard
lazard Statements	
H315 H319 H332 H334 H336 H341 H350 H373	<ul> <li>Causes skin irritation</li> <li>Causes serious eye irritation</li> <li>Harmful if inhaled</li> <li>May cause an allergic skin reaction</li> <li>May cause drowsiness or dizziness</li> <li>Suspected of causing genetic defects</li> <li>May cause cancer</li> <li>May cause damage to organs through prolonged or repeated exposure</li> </ul>

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020

Version: 2.0

#### **Precautionary Statements -- For Prevention**

recautionary otatements rorrevention	
P201 P202 P260 P264 P271 P272 P280	<ul> <li>Obtain special instructions before use</li> <li>Do not handle until all safety precautions have been read and understood</li> <li>Do not breathe dust / fumes / gas / mist / vapors/ spray</li> <li>wash face, hands and any exposed skin thoroughly after handling</li> <li>Use only outdoors or in a well-ventilated area</li> <li>Contaminated work clothing should not be allowed out of the workplace</li> <li>Wear protective gloves, protective clothing, eye protection and / or face protection</li> </ul>
Precautionary Statements For Response	
P308 P304 + 340 P302 P362 + 364 P333 + 313 P305 + 351 + 338 P337 + 313	<ul> <li>IF exposed or concerned Get medical attention / advice</li> <li>IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathin</li> <li>IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before re-use If skin irritation or rash occurs, get medical advice / attention</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing If eye irritation persists, get medical advice / attention</li> </ul>
Precautionary Statements For Storage	
P403 P405	: Store in a well-ventilated place. Keep container tightly closed : Stock locked up
Precautionary Statements For Disposal	
P501	: Dispose of contents / container to an approved waste disposal plant
2.3. Other hazards	

Pressurized container - May burst if heated.

Harmful to aquatic life with long lasting effects.

WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

3.2. Mixtures		
Name	Product identifier	%
Trichloroethylene	CAS: 79-01-6	90 - 95%
Carbon Dioxide	CAS: 124-38-9	3 - 5%

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not use mouth-to-mouth method, give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention.
First-aid measures after skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, get immediate medical attention
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, get medical advice.
First-aid measures after ingestion	<ul> <li>Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.</li> </ul>
General Advice	: If exposed or concerned, get medical advice / attention.

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020 Ver

Version: 2.0

4.2. Most important symptoms and eff	fects (acute and delayed)
Symptoms/effects after inhalation	: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Symptoms of allergic reaction may include rash, itching, swelling. May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Immediate medical attention and	special treatment, if necessary
Other medical advice or treatment	: In case of accident or if you feel unwell, seek medical advice immediately (show the label and this Safety Data Sheet to medical professional)
Notes to Physician	: Treat symptomatically
SECTION 5: Fire-fighting measure	S
5.1. Suitable extinguishing media	
Suitable extinguishing media	: Use fire extinguishing media appropriate for surrounding materials.
5.2. Unsuitable extinguishing media	
Unsuitable extinguishing media	: Not determined
5.3. Specific hazards arising from the	hazardous product
Vapors are heavier than air and may spread	l along floors.

5.4. Special protective equipment and prec	autions for fire-fighters
Protection during firefighting	: Fire-fighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, when battling fires in enclosed
	spaces. Standard breathing apparatus (SCBA with a full face-piece operated in positive pressure mode) should also be used or available for use if needed
Special Firefighting Procedures	: Move containers from the fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.

<b>SECTION 6: Accidental release meas</b>	
6.1. Personal precautions, protective equ	Jipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding area. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Do not touch damage containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any inform in Section 8 on suitable and unsuitable materials. Also see the information in "For emergency personnel".
6.2. Methods and materials for containm	ent and cleaning up
For containment and cleaning up	: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike t ahead of larger spill for later recovery and disposal. Ventilate contaminated area. Contaminated soil must be dug up and treated to protect groundwater. Dispose of a licensed waste disposal contractor. Package all material in plastic, cardboard or containers for disposal in accordance with federal, state, provincial and local regulations.
Notification procedures	: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Sto flow of material, if this is without risk. Inform authorities if large amounts are involved.
Environmental precautions	: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so Avoid discharge into drains, water courses or onto the ground.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 06/11/2019 Revision date: 01/06/2020

Version: 2.0

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Protective measures	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Use personal protection recommended in Section 8.</li> <li>Avoid breathing vapors or mists.</li> <li>Use only in well-ventilated areas.</li> <li>Keep away from heat / sparks / open flames / hot surfaces.</li> <li>No smoking.</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>Do not throw empty containers in trash compactor.</li> </ul>
Advice on general occupational hygiene	<ul> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.</li> <li>Workers should wash hands and face before eating, drinking, smoking and after contact with material.</li> <li>Remove contaminated clothing and protective equipment before entering eating areas.</li> <li>Also see Section 8 for additional information on hygiene measures</li> </ul>
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	<ul> <li>Store in accordance with local regulations.</li> <li>Store in a segregated and approved area.</li> <li>Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from all sources of ignition, incompatible materials (see Section 10) and food and drink.</li> <li>Store locked up.</li> <li>Do not store in unlabeled containers.</li> <li>Protect from sunlight.</li> <li>Do not store at temperatures above 120°F.</li> </ul>
Incompatible Materials	: Water : Reactive metals : Aluminum. : Magnesium. : Lithium. : Sodium. : Potassium

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trichloroethylene	TWA: 10 ppm	(Vacated) TWA: 50 ppm	IDLH: 1000 ppm
	STEL: 25 ppm	(Vacated) TWA: 270 mg/m <sup>3</sup> Ceiling: 200 ppm (Vacated) STEL: 200 ppm	
		(Vacated) STEL: 1080 mg/m <sup>3</sup> TWA: 100 ppm	
Carbon Dioxide	STEL: 30,000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m3 (vacated) TWA: 10,000 ppm (vacated) TWA: 18,000 mg/m3 (vacated) STEL: 30,000 ppm (vacated) STEL: 54,000 mg/m3	IDLH: 40,000 ppm TWA: 5000 ppm TWA: 9000 mg/m3 STEL: 30,000 ppm STEL: 54,000 mg/m3

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 06/11/2019	Revision date: 01/06/2020 Version: 2.0
8.2. Appropriate enginee	ering controls
Appropriate engineering control	ols : Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Environmental exposure contr	rols : Avoid release to the environment.
8.3. Individual protection	n measures/Personal protective equipment
General Information	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Hand protection	: Chemical resistant, impervious gloves that are resistant to the product and/or substance being prepared should be worn at all times when handling chemical products. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection	<ul> <li>The use of a face shield and chemical goggles to safeguard against potential eye contact, irritation or injury is recommended.</li> </ul>
Skin and body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.</li> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved</li> </ul>
Respiratory protection	<ul> <li>A NIOSH or MSHA approved air purifying respirator with an organic vapor cartridge may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.</li> <li>A respiratory protection program that meets OSHA's 29 CFR1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.</li> </ul>
Hygienic measures	<ul> <li>Wash hands, forearms and face thoroughly after handling chemical products and before eating, drinking, smoking and using the lavatory and at the end of the working period.</li> <li>Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before re-using. Ensure that eyewash stations and safety showers are close to the workstation location.</li> </ul>
Other information	<ul> <li>: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages, and feed. Remove all soiled and contaminated clothing.</li> <li>: Handle in accordance with good industrial hygiene and safety procedures.</li> <li>: Do not eat, drink or smoke when using this product.</li> <li>: Eye wash and quick-drench shower facilities should be available in the work area. Thoroughly clean shoes and wash contaminated clothing before re-use. It is recommended that impervious clothing be worn.</li> </ul>

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c	hemical properties	
Physical state	: Aerosol	
Color	: Colorless	
Odor	: Faint ether	
Odor threshold	: No information available	
рН	: No information available	
Melting point / range	: Not determined	
Boiling point / range	: Not determined	
Flash point	: 46° C / 115° F	
Evaporation rate	: Faster than butyl acetate	
Flammability (solid, gas)	: Non-flammable aerosol	
Flammability or explosive limits	: Upper: 7%	
	Lower: 1%	
Vapor pressure	: 110 psig	
Vapor density	: Heavier than air	
Specific Gravity	: 1.40 - 1.50 (1 = water)	
Solubility	: Slightly soluble in water	
Partition coefficient: n-octanol / water	: Not determined	
Auto-ignition Temperature	: Not determined	
Decomposition temperature	: Not determined	
Viscosity	: Not determined	
VOC Content	: ~ 97%	

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020 Version: 2.0

**SECTION 10: Stability and reactivity Stability and Reactivity** 10.1. Stability Stable under normal conditions of use and storage. : Reactivity No dangerous reaction known under conditions of normal use. Polymerization Will not occur Avoid all possible sources of ignition (heat, flame, or spark). Conditions to avoid Materials to avoid Avoid contact with water, reactive metals, aluminum, magnesium, lithium, sodium, and potassium. Hazardous decomposition products May produce carbon monoxide, carbon dioxide, hydrogen chloride, phosgene and chlorine gas when heated

ECTION 11: Toxicological informati	on
1. Information on toxicological effects	
otential Health Effects	
ye contact	: Eye irritant. Contact may cause stinging, watering, redness, swelling and eye damage.
kin contact	Skin irritant. Contact may cause redness, itching, burning and skin damage. Prolonged or repeated contact can worsen by causing drying and cracking of the skin, leading to dermatitie (inflammation). Repeated contact with a component may cause an allergic reaction. Low degree of toxicity by skin absorption.
halation	: Harmful degree of toxicity by inhalation.
ngestion	: Harmful degree of toxicity by ingestion.
igns & Symptoms	: Effects of over-exposure may include nausea, vomiting, irritation of the respiratory and diges tracts, transplant excitation followed by signs of nervous system depression (eg., headache, drowsiness, dizziness, loss of co-ordination, disorientation and fatigue).
ancer	: A component is a probable cancer hazard.
Pral product	: LD 50 (Rat): 4,920 mg/kg
ermal product	: No data available
halation product	: LC 50 (Rat, 4 hr): 12,000 ppm
epeated dose toxicity product	: No data available
kin corrosion / irritant product	: Causes skin irritation
erious eye damage / eye irritant	: Causes serious eye irritation
roduct Respiratory of skin sensitization	: Not a skin sensitizer
roduct Carcinogenicity product	: May cause cancer
arcinogenic risk to humans	: Overall elevation: 1 Carcinogenic to humans
.S. NTP Report on carcinogen	: Reasonably anticipated to be a Human Carcinogen
n vitro product	: Suspected of causing genetic defects.
n vivo product	: Suspected of causing genetic defects.
eproductive toxicity product	: No components toxic to reproduction
TOT - Single Exposure product	: May cause respiratory irritation. May cause drowsiness or dizziness.
TOT - Repeated exposure product	: No data available.
arget organs	: Potential hazard to the nervous system, liver, lungs, and kidneys.
spiration hazard product	: Not classified.
ther effects	: None known.

<b>SECTION 12: Ecological informatic</b>	on
12.1. Toxicity	
Ecotoxicity	: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment Do not empty into drains. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms. Toxic to aquatic organisms.
Fish product	: LC 50 (Fathead minnow), 96 hr: 31.4—71.8 mg/l, Mortality LC 50 (Bluegill), 96 hr: 39-54 mg/l, Mortality EC 50 (Fathead minnow), 96 hr: 18.4—28.5 mg/l, Intoxication
Aquatic invertebrates product	: LC 50 (Water flea), 48 hr; 12—26 mg/l, Mortality
<b>Chronic Hazards to the Aquatic Environme</b>	nt
Fish product	: No data available
Aquatic invertebrates product	: No data available
Toxicity to aquatic plants product	: No data available
12.2. Persistence and degradability	
Natco Pre-Buff Cleaner	
Persistence and degradability	Persistence is unlikely based on information available. There is no data on the degradability of this product.
	•

## Safety Data Sheet

according to the Hazardous Proc	lucts Regulation (February 11, 2015)	
Date of issue: 06/11/2019	Revision date: 01/06/2020	Version: 2.0

12.3.	Bioaccumulative potential	
Natco	o Pre-Buff Cleaner	
Bioad	ccumulative potential	No information available.

#### 12.4. Mobility in soil

Will likely be mobile in the environment due to its volatility.

### 12.5. Other adverse effects

Other information

: Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste from residues / unused products

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any federal, state, provincial and regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be Incineration or landfill should only be considered when recycling is not recycled, feasible. This material and its container must be disposed of in a safe manner. Care should e taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld, or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal must be in accordance with appropriate Federal, State, Provincial, and local regulations.

### **SECTION 14: Transport information**

#### 14.1. Basic shipping description

	DOT Classification	TDG	IMDG	ΙΑΤΑ		
Identification Number	UN 1710	UN 1710	UN 1710	UN 1710		
Proper Shipping Name	Aerosols	Aerosols	Aerosols	Aerosols, Non-Flammable		
Transport Hazard Class	6.1	6.1	6.1	6.1		
Packaging Group	Ш	Ш	Ш	Ш		
Label	6	6	6	6		
Marine Pollutant	May meet the definition of a Marine Pollutant					
Special precautions / Other information	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. The description shown may not apply to all shipping situations. Consult 40CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity- specific shipping requirements.					

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020 Version: 2.0

### **SECTION 15: Regulatory information**

All of the components in the product are on the following Inventory lists: X = listed International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Trichloroethylene	Х	Х	-	201-167-4	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

Listed

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### 15.1. National regulations

#### 15.2. International regulations

#### TSCA 12(b)

Component	TSCA 12(b)
Trichloroethylene	Section 5

#### **SARA 313**

<u>34KA 313</u>			
Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Trichloroethylene	79-01-6	90 - 95%	0.1
SARA 311/312 Hazard Categories Acute Health Hazard	: Yes		

: Yes
: Yes
: No
: No
: No

#### **CWA (Clean Water Act)**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Trichloroethylene	Х	100 lb	Х	Х

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Trichloroethylene	Х		-

**OSHA** Occupational Safety and Health Administration

: Not applicable

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Trichloroethylene	100 lb 1 lb	-

**California Proposition 65** 

#### This product contains the following proposition 65 chemicals

	•	• • •		
Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Trichloroethylene	79-01-6	Carcinogen	14 µg/day	Developmental
, ,		Developmental	50 µg/day	Carcinogen
	•	Male Reproductive		_

## Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 06/11/2019 Revision date: 01/06/2020 Version: 2.0

## U.S. State Right-to-Know

## Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Trichloroethylene	Х	Х	Х	Х	Х
Carbon Dioxide	Х	Х	Х	Х	Х

### **U.S. Department of Transportation**

U.S. Department of Homeland Security	: This product c
DOT Severe Marine Pollutant	: No
Reportable Quantity (RQ): DOT Marine Pollutant	: Yes : No

: This product does not contain any DHS

### Other International Regulations

#### Mexico - Grade

chemicals.

: No information available

### **SECTION 16: Other information**

This product contains ch	lorinated solvents and canno	t be sold in New Jersey or Cal	ifornia.	
NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS	Health Hazards 2	Flammability 0	Physical Hazards 0	Personal Protection Not determined

Date of Issue	: 06/11/2019
Revision Date	: 01/06/2020
Other Information Prepared By	: None. : Technical / Safety Department

SDS Canada (GHS)

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.